

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Shenzhen Moso Electronics Technology Co., Ltd		
Address	No 1061 Songbai Road Xili Nanshan District Shenzhen City Guangdong 518108 China		
Client ID	106106	Global-Mark File Number:	106106-026
Certification Number	GMA-510151	Revision Number	00
Certificate Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	15/06/2021
Certificate Last Update Date	
Certification Expiry Date	15/06/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	LED Driver built in	MOSO	X6-600M056A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 27-56Vdc, 60Vdc. Max, 1.25-12.50A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M060A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 30-60Vdc, 70Vdc. Max, 1.25-12.50A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-480M060A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 6.0/2.3A Max; Output: 30-60Vdc, 70Vdc. Max, 1.00-10.0A, 480W Max.
Non declared	LED Driver built in	MOSO	X6-600M134A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 54-134Vdc, 150Vdc. Max, 0.56-5.60A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M268A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 108-268Vdc, 280Vdc. Max, 0.28-2.8A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M428A12	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 240-428Vdc, 450Vdc. Max, 0.175-1.75A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M056	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 27-56Vdc, 60Vdc. Max, 1.25-12.50A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M060	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 30-60Vdc, 70Vdc. Max, 1.25-12.50A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-480M060	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 6.0/2.3A Max; Output: 30-60Vdc, 70Vdc. Max, 1.00-10.0A, 480W Max.
Non declared	LED Driver built in	MOSO	X6-600M134	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 54-134Vdc, 150Vdc. Max, 0.56-5.60A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M268	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 108-268Vdc, 280Vdc. Max, 0.28-2.8A, 600W Max.
Non declared	LED Driver built in	MOSO	X6-600M428	Input: AC 100-240V/277V or AC 100-277V, 50/60Hz, 7.5/2.8A Max; Output: 240-428Vdc, 450Vdc. Max, 0.175-1.75A, 600W Max.

RELEVANT TRADEMARK (S)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Suitability

--

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

